

# HYDROGEN PEROXIDE

## TECHNICAL DISILLED GRADE

		H <sub>2</sub> O <sub>2</sub> , 35-50% Technical Grade	H <sub>2</sub> O <sub>2</sub> , 35-60% Techn. Dist. Grade	H <sub>2</sub> O <sub>2</sub> , 35-60% Dist. Grade
Pulp & paper industry	Pulp bleaching	•	•	
Water and waste water treatment	Oxidation, decolorization, pH regulators, flocculants, precipitants, neutralisation agent	•	•	
Bleaching of fibrous and non-fibrous materials	Textile dyes, finishing and impregnating products; including bleaches and other processing aids	•	•	
Washing and cleaning products (including solvent based products)	Bleaching, oxidizing	•	•	•
Metal finishing industry	Metal surface treatment products, including galvanic and electroplating products	•	•	
Synthesis of chemicals	Manufacture of bulk, large scale chemicals, fine chemicals and plastic products	•	•	•

## SPECIAL GRADES

		H <sub>2</sub> O <sub>2</sub> , 30% p.a.	H <sub>2</sub> O <sub>2</sub> , 35-50 FC	H <sub>2</sub> O <sub>2</sub> , 35-50 LC
Cosmetics, personal care products	Use in dental care products and tooth bleaching. Hair dyeing and bleaching		•	•
Pharmaceutical industry	Oxidizing and cleaning		•	•
Drinking water and pool water treatment	Bleaching, oxidizing		•	•
Production of chemically modified foodstuff	Manufacture of food products and food additives as oxidising agent		•	
Laboratory chemicals	Chemical reagent	•		

# HYDROGEN PEROXIDE

## PACKING

	H <sub>2</sub> O <sub>2</sub> , 30% p.a.	H <sub>2</sub> O <sub>2</sub> , 35-50 FC	H <sub>2</sub> O <sub>2</sub> , 35-50 LC	H <sub>2</sub> O <sub>2</sub> , 35-50% Technical Grade	H <sub>2</sub> O <sub>2</sub> , 35-60% Techn. Dist. Grade	H <sub>2</sub> O <sub>2</sub> , 35-60% Dist. Grade
Bulk transport		•	•	•	•	•
IBC Container, 1200 kg				•	•	•
IBC Container, 1100 kg		•	•	•	•	•
Plastic drum, 225 kg		•	•	•		
Plastic drum, 65 kg	•	•	•	•	•	•
Plastic drum, 32 kg		•	•			
Plastic drum, 21 kg		•	•			
Plastic bottle, 1 kg	•					